

# Safety Data Sheet

## 156 Silver Shimmer

SDS Revision Date:

05/08/2019



### 1. Identification

#### 1.1. Product identifier

**Product Identity** 156 Silver Shimmer  
**Alternate Names** Plastisol Screen Printing Inks

#### 1.2. Relevant identified uses of the substance or mixture and uses advised against

**Intended use** Screen Printing.  
**Application Method** See Technical Data Sheet.

#### 1.3. Details of the supplier of the safety data sheet

**Company Name** International Coatings Company, Inc.  
13929 East 166th Street  
Cerritos, CA 90702-7666

#### Emergency

**24 hour Emergency Telephone No.** (800) 255-3924  
**Customer Service: International Coatings Company, Inc.** (562) 926-1010

### 2. Hazard(s) identification

#### 2.1. Classification of the substance or mixture

Acute Tox. 5;H313 May be harmful in contact with skin. (Not adopted by US OSHA)

#### 2.2. Label elements

Using the Toxicity Data listed in section 11 and 12 the product is labeled as follows.

#### Warning

H313 May be harmful in contact with skin.

#### [Prevention]:

P260 Do not breathe mist / vapors / spray.  
P262 Do not get in eyes, on skin, or on clothing.

#### [Response]:

P301+310 IF SWALLOWED: Immediately call a POISON CENTER or doctor / physician.  
P312 Call a POISON CENTER or doctor / physician if you feel unwell.  
P331 Do NOT induce vomiting.

#### [Storage]:

# Safety Data Sheet

## 156 Silver Shimmer

SDS Revision Date:

05/08/2019



No GHS storage statements

**[Disposal]:**

No GHS disposal statements

### 3. Composition/information on ingredients

This product contains the following substances that present a hazard within the meaning of the relevant State and Federal Hazardous Substances regulations.

| Ingredient/Chemical Designations                                                                            | Weight % | GHS Classification | Notes  |
|-------------------------------------------------------------------------------------------------------------|----------|--------------------|--------|
| Polyvinyl Chloride/Polyvinyl Acetate Copolymer<br>CAS Number: Proprietary<br>EC Number: 618-359-2<br>REACH: | 25 - 50  |                    | [1]    |
| Alkylsulfonic Acid Ester of Phenol<br>CAS Number: Proprietary<br>EC Number: 615-163-9<br>REACH:             | 25 - 50  | Acute Tox. 4;H312  | [1]    |
| Epoxidised soya oil<br>CAS Number: 0008013-07-8<br>EC Number: 232-391-0<br>REACH: 01-2119471314-43-XXXX     | 10 - 25  |                    | [1]    |
| Aluminum (Al)<br>CAS Number: 0007429-90-5<br>EC Number: 231-072-3<br>REACH: 01-2119529243-45-XXXX           | 1.0 - 10 |                    | [1][2] |
| Diethyl adipate<br>CAS Number: 0000103-23-1<br>EC Number: 203-090-1<br>REACH: 01-2119439699-19-XXXX         | 1.0 - 10 |                    | [1]    |
| Amorphous fumed silica<br>CAS Number: 0112945-52-5<br>EC Number: 601-216-3<br>REACH:                        | 1.0 - 10 |                    | [1]    |
| MICA<br>CAS Number: 0012001-26-2<br>EC Number: 601-648-2<br>REACH:                                          | 1.0 - 10 |                    | [1][2] |

[1] Substance classified with a health or environmental hazard.

[2] Substance with a workplace exposure limit.

[3] PBT-substance or vPvB-substance.

\*The full texts of the phrases are shown in Section 16.

# Safety Data Sheet

## 156 Silver Shimmer



SDS Revision Date:

05/08/2019

### 4. First aid measures

#### 4.1. Description of first aid measures

|                   |                                                                                                                                                                                                                                     |
|-------------------|-------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| <b>General</b>    | In all cases of doubt, or when symptoms persist, seek medical attention.<br>Never give anything by mouth to an unconscious person.                                                                                                  |
| <b>Inhalation</b> | Remove to fresh air, keep patient warm and at rest. If breathing is irregular or stopped, give artificial respiration. If unconscious place in the recovery position and obtain immediate medical attention. Give nothing by mouth. |
| <b>Eyes</b>       | Irrigate copiously with clean water for at least 15 minutes, holding the eyelids apart and seek medical attention.                                                                                                                  |
| <b>Skin</b>       | Remove contaminated clothing. Wash skin thoroughly with soap and water or use a recognized skin cleanser.                                                                                                                           |
| <b>Ingestion</b>  | If the person is conscious, induce vomiting immediately by giving 2 glasses of water and pressing finger down the throat. Repeat until vomit is clear, then give milk. Contact a physician immediately.                             |

#### 4.2. Most important symptoms and effects, both acute and delayed

|                 |                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                               |
|-----------------|---------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| <b>Overview</b> | Exposure to solvent vapor concentrations from the component solvents in excess of the stated occupational exposure limits may result in adverse health effects such as mucous membrane and respiratory system irritation and adverse effects on the kidneys, liver and central nervous system. Symptoms include headache, nausea, dizziness, fatigue, muscular weakness, drowsiness and in extreme cases, loss of consciousness.<br><br>Repeated or prolonged contact with the preparation may cause removal of natural fat from the skin resulting in dryness, irritation and possible non-allergic contact dermatitis. Solvents may also be absorbed through the skin. Splashes of liquid in the eyes may cause irritation and soreness with possible reversible damage. See section 2 for further details. |
| <b>Eyes</b>     | Causes serious eye irritation.                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                |
| <b>Skin</b>     | May be harmful in contact with skin. (Not adopted by US OSHA) Causes mild skin irritation. (Not adopted by US OSHA)                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                           |

### 5. Fire-fighting measures

#### 5.1. Extinguishing media

Recommended extinguishing media; alcohol resistant foam, CO<sub>2</sub>, powder, water spray.  
Do not use: water jet.

#### 5.2. Special hazards arising from the substance or mixture

Hazardous decomposition: Hydrogen chloride (if heated), carbon monoxide and carbon dioxide.  
Do not breathe mist / vapors / spray.  
Do not get in eyes, on skin, or on clothing.

#### 5.3. Advice for fire-fighters

# Safety Data Sheet

## 156 Silver Shimmer

SDS Revision Date:

05/08/2019



In the event of fire, wear full protective clothing and NIOSH Approved Self-contained breathing apparatus with full face piece operated in the pressure demand or other positive pressure mode. Move container from fire area if it can be done without risk. Use water to keep fire exposed containers cool and disperse vapors.

ERG Guide No. ----

### 6. Accidental release measures

#### 6.1. Personal precautions, protective equipment and emergency procedures

Wear protective equipment as listed in Section 8 during clean up operations.

#### 6.2. Environmental precautions

Do not allow spills to enter drains or waterways.

Use good personal hygiene practices. Wash hands before eating, drinking, smoking or using toilet. Promptly remove soiled clothing and wash thoroughly before reuse.

#### 6.3. Methods and material for containment and cleaning up

Ventilate the area and avoid breathing vapors. Take the personal protective measures listed in section 8.

Contain and absorb spillage with non-combustible materials e.g. sand, earth, and vermiculite. Place in closed containers outside buildings and dispose of according to the Waste Regulations. (See section 13).

Clean, preferably with a detergent. Do not use solvents.

Do not allow spills to enter drains or watercourses.

If drains, sewers, streams or lakes are contaminated, inform the local water company immediately. In the case of contamination of rivers, streams or lakes the Environmental Protection Agency should also be informed.

### 7. Handling and storage

#### 7.1. Precautions for safe handling

See section 2 for further details. - [Prevention]:

#### 7.2. Conditions for safe storage, including any incompatibilities

Handle containers carefully to prevent damage and spillage.

Store in cool dry place. Elevated temperatures thicken product and shorten useful life.

Incompatible materials: Composition: Avoid contact with strong acids, alkali or oxidizing agents.

See section 2 for further details. - [Storage]:

#### 7.3. Specific end use(s)

No data available.

# Safety Data Sheet

## 156 Silver Shimmer



SDS Revision Date:

05/08/2019

### 8. Exposure controls and personal protection

#### 8.1. Control parameters

##### Exposure

| CAS No.      | Ingredient                                     | Source   | Value                                   |
|--------------|------------------------------------------------|----------|-----------------------------------------|
| 0000103-23-1 | Dioctyl adipate                                | OSHA     | No Established Limit                    |
|              |                                                | ACGIH    | No Established Limit                    |
|              |                                                | NIOSH    | No Established Limit                    |
|              |                                                | Supplier | No Established Limit                    |
| 0007429-90-5 | Aluminum (Al)                                  | OSHA     | TWA 15 mg/m3 (total) TWA 5 mg/m3 (resp) |
|              |                                                | ACGIH    | TWA: 1.0 mg/m3 Revised 2008,            |
|              |                                                | NIOSH    | TWA 10 mg/m3 (total) TWA 5 mg/m3 (resp) |
|              |                                                | Supplier | No Established Limit                    |
| 0008013-07-8 | Epoxidised soya oil                            | OSHA     | No Established Limit                    |
|              |                                                | ACGIH    | No Established Limit                    |
|              |                                                | NIOSH    | No Established Limit                    |
|              |                                                | Supplier | No Established Limit                    |
| 0012001-26-2 | MICA                                           | OSHA     | TWA 20 mppcf                            |
|              |                                                | ACGIH    | TWA: 3 mg/m3                            |
|              |                                                | NIOSH    | TWA 3 mg/m3 (resp)                      |
|              |                                                | Supplier | No Established Limit                    |
| 0112945-52-5 | Amorphous fumed silica                         | OSHA     | No Established Limit                    |
|              |                                                | ACGIH    | No Established Limit                    |
|              |                                                | NIOSH    | No Established Limit                    |
|              |                                                | Supplier | No Established Limit                    |
| Proprietary  | Alkylsulfonic Acid Ester of Phenol             | OSHA     | No Established Limit                    |
|              |                                                | ACGIH    | No Established Limit                    |
|              |                                                | NIOSH    | No Established Limit                    |
|              |                                                | Supplier | No Established Limit                    |
| Proprietary  | Polyvinyl Chloride/Polyvinyl Acetate Copolymer | OSHA     | No Established Limit                    |
|              |                                                | ACGIH    | No Established Limit                    |
|              |                                                | NIOSH    | No Established Limit                    |
|              |                                                | Supplier | No Established Limit                    |

Derived No Effect Levels (DNEL)/ Predicted No Effect Concentrations (PNEC):

----

#### 8.2. Exposure controls

**Respiratory**

Not Required

**Eyes**

Wear safety eyewear, e.g. safety spectacles, goggles or visors to protect against the

# Safety Data Sheet

## 156 Silver Shimmer

SDS Revision Date:

05/08/2019



splash of liquids.

**Skin** Neoprene gloves are recommended.

**Engineering Controls** Provide adequate ventilation. Where reasonably practicable this should be achieved by the use of local exhaust ventilation and good general extraction. If these are not sufficient to maintain concentrations of particulates and any vapor below occupational exposure limits suitable respiratory protection must be worn.

**Other Work Practices** Use good personal hygiene practices. Wash hands before eating, drinking, smoking or using toilet. Promptly remove soiled clothing and wash thoroughly before reuse.

See section 2 for further details. - [Prevention]:

### 9. Physical and chemical properties

|                                                        |                                                                                          |
|--------------------------------------------------------|------------------------------------------------------------------------------------------|
| <b>Appearance</b>                                      | Smooth thick Liquid                                                                      |
| <b>Odor</b>                                            | Faint                                                                                    |
| <b>Odor threshold</b>                                  | Not Measured                                                                             |
| <b>pH</b>                                              | Not Measured                                                                             |
| <b>Melting point / freezing point</b>                  | Not Measured                                                                             |
| <b>Initial boiling point and boiling range</b>         | >420 F @5mmhg                                                                            |
| <b>Flash Point</b>                                     | >400 F C.O.C.                                                                            |
| <b>Evaporation rate (Ether = 1)</b>                    | < 1                                                                                      |
| <b>Flammability (solid, gas)</b>                       | Not Applicable                                                                           |
| <b>Upper/lower flammability or explosive limits</b>    | <b>Lower Explosive Limit:</b> Not Measured<br><b>Upper Explosive Limit:</b> Not Measured |
| <b>Vapor pressure (Pa)</b>                             | Not Measured                                                                             |
| <b>Vapor Density</b>                                   | > 1 (Air=1)                                                                              |
| <b>Specific Gravity</b>                                | 1.15 - 1.25                                                                              |
| <b>Solubility in Water</b>                             | Insoluble                                                                                |
| <b>Partition coefficient n-octanol/water (Log Kow)</b> | Not Measured                                                                             |
| <b>Auto-ignition temperature</b>                       | Not Measured                                                                             |
| <b>Decomposition temperature</b>                       | Not Measured                                                                             |
| <b>Viscosity (cSt)</b>                                 | Not Measured                                                                             |
| <b>VOC Content</b>                                     | < 0.1 lb/gallon                                                                          |
| <b>% Volatile</b>                                      | < 1                                                                                      |

**9.2. Other information**  
No other relevant information.

### 10. Stability and reactivity

#### 10.1. Reactivity

# Safety Data Sheet

## 156 Silver Shimmer



SDS Revision Date:

05/08/2019

Hazardous Polymerization will not occur.

### 10.2. Chemical stability

Stable under normal circumstances.

### 10.3. Possibility of hazardous reactions

No data available.

### 10.4. Conditions to avoid

Avoid exposure to heat and humidity.

### 10.5. Incompatible materials

Composition: Avoid contact with strong acids, alkali or oxidizing agents.

### 10.6. Hazardous decomposition products

Hydrogen chloride (if heated), carbon monoxide and carbon dioxide.

## 11. Toxicological information

### Acute toxicity

| Ingredient                                                     | Oral LD50, mg/kg               | Skin LD50, mg/kg               | Inhalation Vapor LD50, mg/L/4hr | Inhalation Dust/Mist LD50, mg/L/4hr | Inhalation Gas LD50, ppm |
|----------------------------------------------------------------|--------------------------------|--------------------------------|---------------------------------|-------------------------------------|--------------------------|
| Polyvinyl Chloride/Polyvinyl Acetate Copolymer - (Proprietary) | No data available              | No data available              | No data available               | No data available                   | No data available        |
| Alkylsulfonic Acid Ester of Phenol - (Proprietary)             | > 5,000.00, Rat - Category: NA | > 1,000, Rat - Category: 4     | No data available               | No data available                   | No data available        |
| Epoxidised soya oil - (8013-07-8)                              | 21,000.00, Rat - Category: NA  | 2,000.00, Rabbit - Category: 4 | No data available               | No data available                   | No data available        |
| Aluminum (Al) - (7429-90-5)                                    | No data available              | No data available              | No data available               | No data available                   | No data available        |
| Diethyl adipate - (103-23-1)                                   | No data available              | No data available              | No data available               | No data available                   | No data available        |
| Amorphous fumed silica - (112945-52-5)                         | 3,160.00, Rat - Category: 5    | No data available              | No data available               | No data available                   | No data available        |
| MICA - (12001-26-2)                                            | No data available              | No data available              | No data available               | No data available                   | No data available        |

Note: When no route specific LD50 data is available for an acute toxin, the converted acute toxicity point estimate was used in the calculation of the product's ATE (Acute Toxicity Estimate).

### Carcinogen Data

| CAS No.      | Ingredient      | Source | Value                    |
|--------------|-----------------|--------|--------------------------|
| 0000103-23-1 | Diethyl adipate | OSHA   | Select Carcinogen: No    |
|              |                 | NTP    | Known: No; Suspected: No |

# Safety Data Sheet

## 156 Silver Shimmer



SDS Revision Date:

05/08/2019

|              |                                                |      |                                                                     |
|--------------|------------------------------------------------|------|---------------------------------------------------------------------|
|              |                                                | IARC | Group 1: No; Group 2a: No; Group 2b: No; Group 3: Yes; Group 4: No; |
| 0007429-90-5 | Aluminum (Al)                                  | OSHA | Select Carcinogen: No                                               |
|              |                                                | NTP  | Known: No; Suspected: No                                            |
|              |                                                | IARC | Group 1: No; Group 2a: No; Group 2b: No; Group 3: No; Group 4: No;  |
| 0008013-07-8 | Epoxidised soya oil                            | OSHA | Select Carcinogen: No                                               |
|              |                                                | NTP  | Known: No; Suspected: No                                            |
|              |                                                | IARC | Group 1: No; Group 2a: No; Group 2b: No; Group 3: No; Group 4: No;  |
| 0012001-26-2 | MICA                                           | OSHA | Select Carcinogen: No                                               |
|              |                                                | NTP  | Known: No; Suspected: No                                            |
|              |                                                | IARC | Group 1: No; Group 2a: No; Group 2b: No; Group 3: No; Group 4: No;  |
| 0112945-52-5 | Amorphous fumed silica                         | OSHA | Select Carcinogen: No                                               |
|              |                                                | NTP  | Known: No; Suspected: No                                            |
|              |                                                | IARC | Group 1: No; Group 2a: No; Group 2b: No; Group 3: No; Group 4: No;  |
| Proprietary  | Alkylsulfonic Acid Ester of Phenol             | OSHA | Select Carcinogen: No                                               |
|              |                                                | NTP  | Known: No; Suspected: No                                            |
|              |                                                | IARC | Group 1: No; Group 2a: No; Group 2b: No; Group 3: No; Group 4: No;  |
| Proprietary  | Polyvinyl Chloride/Polyvinyl Acetate Copolymer | OSHA | Select Carcinogen: No                                               |
|              |                                                | NTP  | Known: No; Suspected: No                                            |
|              |                                                | IARC | Group 1: No; Group 2a: No; Group 2b: No; Group 3: No; Group 4: No;  |

| Classification                | Category | Hazard Description                                            |
|-------------------------------|----------|---------------------------------------------------------------|
| Acute toxicity (oral)         | ---      | Not Applicable                                                |
| Acute toxicity (dermal)       | 5        | May be harmful in contact with skin. (Not adopted by US OSHA) |
| Acute toxicity (inhalation)   | ---      | Not Applicable                                                |
| Skin corrosion/irritation     | ---      | Not Applicable                                                |
| Serious eye damage/irritation | ---      | Not Applicable                                                |
| Respiratory sensitization     | ---      | Not Applicable                                                |
| Skin sensitization            | ---      | Not Applicable                                                |
| Germ cell mutagenicity        | ---      | Not Applicable                                                |
| Carcinogenicity               | ---      | Not Applicable                                                |
| Reproductive toxicity         | ---      | Not Applicable                                                |
| STOT-single exposure          | ---      | Not Applicable                                                |
| STOT-repeated exposure        | ---      | Not Applicable                                                |
| Aspiration hazard             | ---      | Not Applicable                                                |

## 12. Ecological information

# Safety Data Sheet

## 156 Silver Shimmer

SDS Revision Date:

05/08/2019



### 12.1. Toxicity

The preparation has been assessed following the conventional method of the Dangerous Preparations Directive 1999/45/EC and GHS and is not classified as dangerous for the environment, but contains substance(s) dangerous for the environment. See section 3 for details

### Aquatic Ecotoxicity

| Ingredient                                                     | 96 hr LC50 fish, mg/l  | 48 hr EC50 crustacea, mg/l | ErC50 algae, mg/l                     |
|----------------------------------------------------------------|------------------------|----------------------------|---------------------------------------|
| Polyvinyl Chloride/Polyvinyl Acetate Copolymer - (Proprietary) | Not Available          | Not Available              | Not Available                         |
| Alkylsulfonic Acid Ester of Phenol - (Proprietary)             | Not Available          | Not Available              | Not Available                         |
| Epoxidised soya oil - (8013-07-8)                              | 900.00, Leuciscus idus | 100.00, Daphnia magna      | 8.00 (72 hr), Scenedesmus subspicatus |
| Aluminum (Al) - (7429-90-5)                                    | Not Available          | Not Available              | Not Available                         |
| Diocetyl adipate - (103-23-1)                                  | Not Available          | Not Available              | Not Available                         |
| Amorphous fumed silica - (112945-52-5)                         | Not Available          | Not Available              | Not Available                         |
| MICA - (12001-26-2)                                            | Not Available          | Not Available              | Not Available                         |

### 12.2. Persistence and degradability

There is no data available on the preparation itself.

### 12.3. Bioaccumulative potential

Not Measured

### 12.4. Mobility in soil

No data available.

### 12.5. Results of PBT and vPvB assessment

This product contains no PBT/vPvB chemicals.

### 12.6. Other adverse effects

No data available.

## 13. Disposal considerations

### 13.1. Waste treatment methods

Observe all federal, state and local regulations when disposing of this substance.

## 14. Transport information

|                 | DOT (Domestic Surface Transportation) | IMO / IMDG (Ocean Transportation) | ICAO/IATA |
|-----------------|---------------------------------------|-----------------------------------|-----------|
| 14.1. UN number | Not Applicable                        |                                   |           |

# Safety Data Sheet

## 156 Silver Shimmer

SDS Revision Date:

05/08/2019



|                                           |                                         |                                                                 |                                  |
|-------------------------------------------|-----------------------------------------|-----------------------------------------------------------------|----------------------------------|
| <b>14.2. UN proper shipping name</b>      | Not Regulated                           | Not Regulated                                                   | Not Regulated                    |
| <b>14.3. Transport hazard class(es)</b>   | <b>DOT Hazard Class:</b> Not Applicable | <b>IMDG:</b> Not Applicable<br><b>Sub Class:</b> Not Applicable | <b>Air Class:</b> Not Applicable |
| <b>14.4. Packing group</b>                | Not Applicable                          | Not Applicable                                                  | Not Applicable                   |
| <b>14.5. Environmental hazards</b>        |                                         |                                                                 |                                  |
| <b>IMDG</b>                               | Marine Pollutant: No                    |                                                                 |                                  |
| <b>14.6. Special precautions for user</b> | No further information                  |                                                                 |                                  |

## 15. Regulatory information

|                                            |                                                                                                                                                  |
|--------------------------------------------|--------------------------------------------------------------------------------------------------------------------------------------------------|
| <b>Regulatory Overview</b>                 | The regulatory data in Section 15 is not intended to be all-inclusive, only selected regulations are represented.                                |
| <b>Toxic Substance Control Act ( TSCA)</b> | All components of this material are either listed or exempt from listing on the TSCA Inventory.                                                  |
| <b>WHMIS Classification</b>                | Not Regulated                                                                                                                                    |
| <b>US EPA Tier II Hazards</b>              | <b>Fire:</b> No<br><b>Sudden Release of Pressure:</b> No<br><b>Reactive:</b> No<br><b>Immediate (Acute):</b> Yes<br><b>Delayed (Chronic):</b> No |

### EPCRA 311/312 Chemicals and RQs:

To the best of our knowledge, there are no chemicals at levels which require reporting under this statute.

### EPCRA 302 Extremely Hazardous:

To the best of our knowledge, there are no chemicals at levels which require reporting under this statute.

### EPCRA 313 Toxic Chemicals:

Aluminum (Al)

### Proposition 65 - Carcinogens (>0.0%):

To the best of our knowledge, there are no chemicals at levels which require reporting under this statute.

### Proposition 65 - Developmental Toxins (>0.0%):

To the best of our knowledge, there are no chemicals at levels which require reporting under this statute.

### Proposition 65 - Female Repro Toxins (>0.0%):

To the best of our knowledge, there are no chemicals at levels which require reporting under this statute.

### Proposition 65 - Male Repro Toxins (>0.0%):

To the best of our knowledge, there are no chemicals at levels which require reporting under this statute.

### New Jersey RTK Substances (>1%):

# Safety Data Sheet

## 156 Silver Shimmer

SDS Revision Date:

05/08/2019



Aluminum (Al)  
Dioctyl adipate  
MICA

### Pennsylvania RTK Substances (>1%):

Aluminum (Al)  
Dioctyl adipate  
MICA

## 16. Other information

The information and recommendations contained herein are based upon data believed to be correct. However, no guarantee or warranty of any kind, expressed or implied, is made with respect to the information contained herein. We accept no responsibility and disclaim all liability for any harmful effects which may be caused by exposure to our products. Customers/users of this product must comply with all applicable health and safety laws, regulations, and orders.

The full text of the phrases appearing in section 3 is:

H312 Harmful in contact with skin.

**Date of first version: 02/26/2015**

**Revision date: 05/08/2019**

**Listings of changes from previous version(s):**

Added REACH and EC numbers to ingredients in Section 3

International Coatings Co., Inc. believes to the best of its knowledge that the information provided herein, is factual and the recommendations made are accurate as of the date shown. However, no representation or warranty is made as to their completeness or accuracy.

End of Document