



# SAFETY DATA SHEET

Issue Date 27-Jul-2015

Revision Date 14-Feb-2019

Version 5

## 1. IDENTIFICATION

### Product identifier

**Product Name** NPT SOLID BLACK

### Other means of identification

**Product Code** EH8033

**Synonyms** EH803301, EH803303, EH803304, EH803305, EH803307, EH803308, EH803309, EH803310, EH803312, EH803313, EH803314, EH803315, EH803316, EH803317, EH803319, EH803320, EH803321, EH803322, EH803323, EH803333, EH803335, EH803355

### Recommended use of the chemical and restrictions on use

**Recommended Use** Restricted to professional users. Textile ink.

**Uses advised against** No information available

### Details of the supplier of the safety data sheet

#### **Manufacturer Address**

Rutland Group  
10021 Rodney Street  
Pineville, NC 28134  
Tel: 704-553-0046

**E-mail address** product\_safety@rutlandinc.com

### Emergency telephone number

**Emergency Telephone** INFOTRAC 1-352-323-3500

**2. HAZARDS IDENTIFICATION****Classification****OSHA Regulatory Status**

This chemical is not considered hazardous by the 2012 OSHA Hazard Communication Standard (29 CFR 1910.1200)

**Label elements****Emergency Overview**

The product contains no substances which at their given concentration, are considered to be hazardous to health

**Appearance** viscous**Physical state** liquid**Odor** Low**Hazards not otherwise classified (HNOC)**

Not applicable

**Other Information**

Not applicable

Unknown acute toxicity

69.5% of the mixture has not undergone testing for acute toxicity

**3. COMPOSITION/INFORMATION ON INGREDIENTS****Substance**

| Chemical Name         | CAS No.   | Weight-% | Trade Secret |
|-----------------------|-----------|----------|--------------|
| PVC HOMOPOLYMER RESIN | 9002-86-2 | 15 - 40  | *            |
| CALCIUM CARBONATE     | 1317-65-3 | 10 - 30  | *            |
| CARBON BLACK          | 1333-86-4 | 1 - 5    | *            |

\*The exact percentage (concentration) of composition has been withheld as a trade secret.

#### 4. FIRST AID MEASURES

##### Description of first aid measures

|              |                                                                                                                              |
|--------------|------------------------------------------------------------------------------------------------------------------------------|
| Eye contact  | Rinse thoroughly with plenty of water for at least 15 minutes, lifting lower and upper eyelids. Consult a physician.         |
| Skin contact | Wash skin with soap and water.                                                                                               |
| Inhalation   | Remove to fresh air.                                                                                                         |
| Ingestion    | Rinse mouth. Drink plenty of water. Never give anything by mouth to an unconscious person. Consult a physician if necessary. |

##### Most important symptoms and effects, both acute and delayed

|          |                           |
|----------|---------------------------|
| Symptoms | No information available. |
|----------|---------------------------|

##### Indication of any immediate medical attention and special treatment needed

|                    |                        |
|--------------------|------------------------|
| Note to physicians | Treat symptomatically. |
|--------------------|------------------------|

#### 5. FIRE-FIGHTING MEASURES

##### Suitable extinguishing media

Use extinguishing measures that are appropriate to local circumstances and the surrounding environment.

**Unsuitable extinguishing media** CAUTION: Use of water spray when fighting fire may be inefficient.

##### Specific hazards arising from the chemical

No information available.

##### Explosion data

**Sensitivity to Mechanical Impact** None.

**Sensitivity to Static Discharge** None.

##### Protective equipment and precautions for firefighters

As in any fire, wear self-contained breathing apparatus pressure-demand, MSHA/NIOSH (approved or equivalent) and full protective gear.

#### 6. ACCIDENTAL RELEASE MEASURES

##### Personal precautions, protective equipment and emergency procedures

|                      |                                                            |
|----------------------|------------------------------------------------------------|
| Personal precautions | Ensure adequate ventilation, especially in confined areas. |
|----------------------|------------------------------------------------------------|

##### Environmental precautions

|                           |                                                       |
|---------------------------|-------------------------------------------------------|
| Environmental precautions | See section 12 for additional ecological information. |
|---------------------------|-------------------------------------------------------|

##### Methods and material for containment and cleaning up

|                         |                                                       |
|-------------------------|-------------------------------------------------------|
| Methods for containment | Prevent further leakage or spillage if safe to do so. |
|-------------------------|-------------------------------------------------------|

|                         |                                                                                                                                                                                                                                                      |
|-------------------------|------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| Methods for cleaning up | Use personal protective equipment as required. Dam up. Cover liquid spill with sand, earth or other non-combustible absorbent material. Take up mechanically, placing in appropriate containers for disposal. Clean contaminated surface thoroughly. |
|-------------------------|------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|

---

**7. HANDLING AND STORAGE**

---

**Precautions for safe handling**

**Advice on safe handling** Handle in accordance with good industrial hygiene and safety practice.

**Conditions for safe storage, including any incompatibilities**

**Storage Conditions** Keep containers tightly closed in a dry, cool and well-ventilated place  
Store at temperatures not exceeding 35 °C/ 95 °F

**Incompatible materials** None known based on information supplied.

## 8. EXPOSURE CONTROLS/PERSONAL PROTECTION

### Control parameters

#### Exposure Guidelines

| Chemical Name                      | ACGIH TLV                                              | OSHA PEL                                                                                                                                                                                         | NIOSH IDLH                                                                                                                                                |
|------------------------------------|--------------------------------------------------------|--------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-----------------------------------------------------------------------------------------------------------------------------------------------------------|
| PVC HOMOPOLYMER RESIN<br>9002-86-2 | TWA: 1 mg/m <sup>3</sup> respirable particulate matter | -                                                                                                                                                                                                | -                                                                                                                                                         |
| CALCIUM CARBONATE<br>1317-65-3     | -                                                      | TWA: 15 mg/m <sup>3</sup> total dust<br>TWA: 5 mg/m <sup>3</sup> respirable fraction<br>(vacated) TWA: 15 mg/m <sup>3</sup> total dust<br>(vacated) TWA: 5 mg/m <sup>3</sup> respirable fraction | TWA: 10 mg/m <sup>3</sup> total dust<br>TWA: 5 mg/m <sup>3</sup> respirable dust                                                                          |
| CARBON BLACK<br>1333-86-4          | TWA: 3 mg/m <sup>3</sup> inhalable particulate matter  | TWA: 3.5 mg/m <sup>3</sup><br>(vacated) TWA: 3.5 mg/m <sup>3</sup>                                                                                                                               | IDLH: 1750 mg/m <sup>3</sup><br>TWA: 3.5 mg/m <sup>3</sup><br>TWA: 0.1 mg/m <sup>3</sup> Carbon black in presence of Polycyclic aromatic hydrocarbons PAH |

NIOSH IDLH *Immediately Dangerous to Life or Health*

| Chemical Name                      | Alberta OEL                | British Columbia OEL                                                                | Manitoba OEL             | New Brunswick OEL          |
|------------------------------------|----------------------------|-------------------------------------------------------------------------------------|--------------------------|----------------------------|
| PVC HOMOPOLYMER RESIN<br>9002-86-2 | -                          | TWA: 1 mg/m <sup>3</sup>                                                            | TWA: 1 mg/m <sup>3</sup> | -                          |
| CALCIUM CARBONATE<br>1317-65-3     | TWA: 10 mg/m <sup>3</sup>  | TWA: 10 mg/m <sup>3</sup><br>TWA: 3 mg/m <sup>3</sup><br>STEL: 20 mg/m <sup>3</sup> | -                        | TWA: 10 mg/m <sup>3</sup>  |
| CARBON BLACK<br>1333-86-4          | TWA: 3.5 mg/m <sup>3</sup> | TWA: 3 mg/m <sup>3</sup>                                                            | TWA: 3 mg/m <sup>3</sup> | TWA: 3.5 mg/m <sup>3</sup> |

| Chemical Name                      | Newfoundland OEL         | Northwest Territories OEL                               | Nova Scotia OEL          | Nunavut OEL                                             |
|------------------------------------|--------------------------|---------------------------------------------------------|--------------------------|---------------------------------------------------------|
| PVC HOMOPOLYMER RESIN<br>9002-86-2 | TWA: 1 mg/m <sup>3</sup> | -                                                       | TWA: 1 mg/m <sup>3</sup> | -                                                       |
| CALCIUM CARBONATE<br>1317-65-3     | -                        | TWA: 10 mg/m <sup>3</sup><br>STEL: 20 mg/m <sup>3</sup> | -                        | TWA: 10 mg/m <sup>3</sup><br>STEL: 20 mg/m <sup>3</sup> |
| CARBON BLACK<br>1333-86-4          | TWA: 3 mg/m <sup>3</sup> | TWA: 3.5 mg/m <sup>3</sup><br>STEL: 7 mg/m <sup>3</sup> | TWA: 3 mg/m <sup>3</sup> | TWA: 3.5 mg/m <sup>3</sup><br>STEL: 7 mg/m <sup>3</sup> |

| Chemical Name                      | Ontario OEL              | Prince Edward Island OEL | Quebec OEL                 | Saskatchewan OEL                                        | Yukon OEL                                                                |
|------------------------------------|--------------------------|--------------------------|----------------------------|---------------------------------------------------------|--------------------------------------------------------------------------|
| PVC HOMOPOLYMER RESIN<br>9002-86-2 | TWA: 1 mg/m <sup>3</sup> | TWA: 1 mg/m <sup>3</sup> | -                          | -                                                       | -                                                                        |
| CALCIUM CARBONATE<br>1317-65-3     | -                        | -                        | TWA: 10 mg/m <sup>3</sup>  | TWA: 10 mg/m <sup>3</sup><br>STEL: 20 mg/m <sup>3</sup> | STEL: 20 mg/m <sup>3</sup><br>TWA: 30 mppcf<br>TWA: 10 mg/m <sup>3</sup> |
| CARBON BLACK<br>1333-86-4          | TWA: 3 mg/m <sup>3</sup> | TWA: 3 mg/m <sup>3</sup> | TWA: 3.5 mg/m <sup>3</sup> | TWA: 3.5 mg/m <sup>3</sup><br>STEL: 7 mg/m <sup>3</sup> | STEL: 7 mg/m <sup>3</sup><br>TWA: 3.5 mg/m <sup>3</sup>                  |

#### **Other Information**

Vacated limits revoked by the Court of Appeals decision in AFL-CIO v. OSHA, 965 F.2d 962 (11th Cir., 1992).

#### **Appropriate engineering controls**

##### **Engineering Controls**

Showers  
Eyewash stations  
Ventilation systems.

#### **Individual protection measures, such as personal protective equipment**

##### **Eye/face protection**

Wear safety glasses with side shields (or goggles). if a risk assessment indicates this is necessary.

|                                       |                                                                                                                                                                                                                                                                                                                         |
|---------------------------------------|-------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| <b>Skin and body protection</b>       | Wear protective gloves and protective clothing. if a risk assessment indicates this is necessary.                                                                                                                                                                                                                       |
| <b>Respiratory protection</b>         | If exposure limits are exceeded or irritation is experienced, NIOSH/MSHA approved respiratory protection should be worn. Positive-pressure supplied air respirators may be required for high airborne contaminant concentrations. Respiratory protection must be provided in accordance with current local regulations. |
| <b>General Hygiene Considerations</b> | Handle in accordance with good industrial hygiene and safety practice.                                                                                                                                                                                                                                                  |

## 9. PHYSICAL AND CHEMICAL PROPERTIES

### Information on basic physical and chemical properties

|                       |         |                       |                          |
|-----------------------|---------|-----------------------|--------------------------|
| <b>Physical state</b> | liquid  | <b>Odor</b>           | Low                      |
| <b>Appearance</b>     | viscous | <b>Odor threshold</b> | No information available |
| <b>Color</b>          | black   |                       |                          |

| <u>Property</u>                      | <u>Values</u>            | <u>Remarks • Method</u> |
|--------------------------------------|--------------------------|-------------------------|
| <b>pH</b>                            | 7-10                     |                         |
| <b>Melting point/freezing point</b>  | No information available |                         |
| <b>Boiling point / boiling range</b> | 232 °C / 450 °F          |                         |
| <b>Flash point</b>                   | No information available |                         |
| <b>Evaporation rate</b>              | No information available |                         |
| <b>Flammability (solid, gas)</b>     | No information available |                         |
| <b>Flammability Limit in Air</b>     |                          |                         |
| Upper flammability limit:            | No information available |                         |
| Lower flammability limit:            | No information available |                         |
| <b>Vapor pressure</b>                | No information available |                         |
| <b>Vapor density</b>                 | No information available |                         |
| <b>Specific Gravity</b>              | 1.3                      |                         |
| <b>Water solubility</b>              | Insoluble in water       |                         |
| <b>Solubility in other solvents</b>  | No information available |                         |
| <b>Partition coefficient</b>         | No information available |                         |
| <b>Autoignition temperature</b>      | No information available |                         |
| <b>Decomposition temperature</b>     | No information available |                         |
| <b>Kinematic viscosity</b>           | No information available |                         |
| <b>Dynamic viscosity</b>             | No information available |                         |
| <b>Explosive properties</b>          | No information available |                         |
| <b>Oxidizing properties</b>          | No information available |                         |

### Other Information

|                         |                          |
|-------------------------|--------------------------|
| <b>Softening point</b>  | No information available |
| <b>Molecular weight</b> | No information available |
| <b>VOC Content</b>      | <60 g/L                  |
| <b>Density</b>          | No information available |
| <b>Bulk density</b>     | No information available |

---

**10. STABILITY AND REACTIVITY**

---

**Reactivity**

No data available

**Chemical stability**

Stable under recommended storage conditions.

**Possibility of Hazardous Reactions**

None under normal processing.

**Conditions to avoid**

Extremes of temperature and direct sunlight.

**Incompatible materials**

None known based on information supplied.

**Hazardous Decomposition Products**

None known based on information supplied.

## 11. TOXICOLOGICAL INFORMATION

### Information on likely routes of exposure

|                            |                    |
|----------------------------|--------------------|
| <b>Product Information</b> | No data available  |
| <b>Inhalation</b>          | No data available. |
| <b>Eye contact</b>         | No data available. |
| <b>Skin contact</b>        | No data available. |
| <b>Ingestion</b>           | No data available. |

| Chemical Name             | Oral LD50             | Dermal LD50         | Inhalation LC50 |
|---------------------------|-----------------------|---------------------|-----------------|
| CARBON BLACK<br>1333-86-4 | > 15400 mg/kg ( Rat ) | > 3 g/kg ( Rabbit ) | -               |

### Information on toxicological effects

**Symptoms** No information available.

### Delayed and immediate effects as well as chronic effects from short and long-term exposure

**Sensitization** No information available.  
**Germ cell mutagenicity** No information available.  
**Carcinogenicity** The table below indicates whether each agency has listed any ingredient as a carcinogen.

| Chemical Name                         | ACGIH | IARC     | NTP | OSHA |
|---------------------------------------|-------|----------|-----|------|
| PVC HOMOPOLYMER<br>RESIN<br>9002-86-2 | -     | Group 3  | -   | -    |
| CARBON BLACK<br>1333-86-4             | A3    | Group 2B | -   | X    |

ACGIH (American Conference of Governmental Industrial Hygienists)

A3 - Animal Carcinogen

IARC (International Agency for Research on Cancer)

Group 2B - Possibly Carcinogenic to Humans

Not classifiable as a human carcinogen

OSHA (Occupational Safety and Health Administration of the US Department of Labor)

X - Present

**Reproductive toxicity** No information available.  
**STOT - single exposure** No information available.  
**STOT - repeated exposure** No information available.  
**Target Organ Effects** Eyes, Lymphatic System, Respiratory system, Skin.  
**Aspiration hazard** No information available.

### Numerical measures of toxicity - Product Information

The following values are calculated based on chapter 3.1 of the GHS document .

**ATEmix (oral)** 97398  
**ATEmix (dermal)** 5818  
**ATEmix (inhalation-gas)** No information available  
**ATEmix (inhalation-dust/mist)** No information available  
**ATEmix (inhalation-vapor)** No information available

---

**12. ECOLOGICAL INFORMATION****Ecotoxicity**

Toxic to aquatic life with long lasting effects

0 % of the mixture consists of component(s) of unknown hazards to the aquatic environment

**Persistence and degradability**

No information available.

**Bioaccumulation**

No information available.

**Other adverse effects**

No information available

---

**13. DISPOSAL CONSIDERATIONS****Waste treatment methods****Disposal of wastes**

Disposal should be in accordance with applicable regional, national and local laws and regulations.

**Contaminated packaging**

Do not reuse container.

---

**14. TRANSPORT INFORMATION**

**DOT** Not regulated

**TDG** Not regulated

**MEX** Not regulated

**ICAO (air)** Not regulated

**IATA** Not regulated

**IMDG** Not regulated

**RID** Not regulated

**ADR** Not regulated

**ADN** Not regulated

## 15. REGULATORY INFORMATION

### International Inventories

### On Inventory (Yes/No)

|               |     |
|---------------|-----|
| TSCA          | Yes |
| DSL/NDSL      | Yes |
| EINECS/ELINCS | Yes |
| ENCS          | Yes |
| IECSC         | Yes |
| KECL          | Yes |
| PICCS         | Yes |
| AICS          | Yes |

### Legend:

TSCA - United States Toxic Substances Control Act Section 8(b) Inventory

DSL/NDSL - Canadian Domestic Substances List/Non-Domestic Substances List

EINECS/ELINCS - European Inventory of Existing Chemical Substances/European List of Notified Chemical Substances

ENCS - Japan Existing and New Chemical Substances

IECSC - China Inventory of Existing Chemical Substances

KECL - Korean Existing and Evaluated Chemical Substances

PICCS - Philippines Inventory of Chemicals and Chemical Substances

AICS - Australian Inventory of Chemical Substances

### US Federal Regulations

#### **SARA 313**

Section 313 of Title III of the Superfund Amendments and Reauthorization Act of 1986 (SARA). This product does not contain any chemicals which are subject to the reporting requirements of the Act and Title 40 of the Code of Federal Regulations, Part 372

#### **SARA 311/312 Hazard Categories**

|                                   |    |
|-----------------------------------|----|
| Acute health hazard               | No |
| Chronic Health Hazard             | No |
| Fire hazard                       | No |
| Sudden release of pressure hazard | No |
| Reactive Hazard                   | No |

#### **CWA (Clean Water Act)**

This product does not contain any substances regulated as pollutants pursuant to the Clean Water Act (40 CFR 122.21 and 40 CFR 122.42)

#### **CERCLA**

This material, as supplied, does not contain any substances regulated as hazardous substances under the Comprehensive Environmental Response Compensation and Liability Act (CERCLA) (40 CFR 302) or the Superfund Amendments and Reauthorization Act (SARA) (40 CFR 355). There may be specific reporting requirements at the local, regional, or state level pertaining to releases of this material

### US State Regulations

#### **California Proposition 65**

This product contains substance(s) listed on Proposition 65 but are encapsulated in a polymer matrix and not in their pure form. The end user of this product is responsible for determining appropriate warnings based upon their processing, or during installation or use of the end article. This product contains the following Proposition 65 chemicals:

| Chemical Name            | California Proposition 65 |
|--------------------------|---------------------------|
| CARBON BLACK - 1333-86-4 | Carcinogen                |

#### **U.S. State Right-to-Know Regulations**

| Chemical Name                      | New Jersey | Massachusetts | Pennsylvania |
|------------------------------------|------------|---------------|--------------|
| PVC HOMOPOLYMER RESIN<br>9002-86-2 | X          | -             | -            |
| CALCIUM CARBONATE<br>1317-65-3     | X          | X             | X            |

|                           |   |   |   |
|---------------------------|---|---|---|
| CARBON BLACK<br>1333-86-4 | X | X | X |
|---------------------------|---|---|---|

**U.S. EPA Label Information**

EPA Pesticide Registration Number Not applicable

**16. OTHER INFORMATION, INCLUDING DATE OF PREPARATION OF THE LAST REVISION**

|             |                  |                |                    |                                       |
|-------------|------------------|----------------|--------------------|---------------------------------------|
| <b>NFPA</b> | Health hazards 1 | Flammability 1 | Instability 0      | Physical and Chemical<br>Properties - |
| <b>HMIS</b> | Health hazards 1 | Flammability 1 | Physical hazards 0 | Personal protection B                 |

Issue Date 27-Jul-2015

Revision Date 14-Feb-2019

**Revision Note**

SDS sections updated 9 15

**Disclaimer**

The information provided in this Material Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text.

**End of Safety Data Sheet**